

DEPARTMENT OF THE AIR FORCE 59TH MEDICAL WING (AETC) JOINT BASE SAN ANTONIO - LACKLAND TEXAS

9 MAY 2016

MEMORANDUM FOR SGOBV

ATTN: MAJ CHRISTOPHER MONNIKENDAM

FROM: 59 MDW/SGVU

SUBJECT: Professional Presentation Approval

- Your paper, entitled <u>Early Hypernatremia is Associated with Increased Mortality in Extremely Low Birth Weight (ELBW) Infants</u> presented at/published to <u>Pediatric Academic Societies Meeting</u>, <u>Baltimore</u>, <u>MD 30 APR 2016 3 MAY 2016</u> with MDWI 41-108, and has been assigned local file #<u>16189</u>.
- 2. Pertinent biographic information (name of author(s), title, etc.) has been entered into our computer file. Please advise us (by phone or mail) that your presentation was given. At that time, we will need the date (month, day and year) along with the location of your presentation. It is important to update this information so that we can provide quality support for you, your department, and the Medical Center commander. This information is used to document the scholarly activities of our professional staff and students, which is an essential component of Wilford Hall Ambulatory Surgical Center (WHASC) internship and residency programs.
- 3. Please know that if you are a Graduate Health Sciences Education student and your department has told you they cannot fund your publication, the 59th Clinical Research Division may pay for your basic journal publishing charges (to include costs for tables and black and white photos). We cannot pay for reprints. If you are 59 MDW staff member, we can forward your request for funds to the designated wing POC.
- Congratulations, and thank you for your efforts and time. Your contributions are vital to the medical mission. We look forward to assisting you in your future publication/presentation efforts.

LINDA STEEL-GOODWIN, Col, USAF, BSC

rinda Steel-Goodwin

Director, Clinical Investigations & Research Support

PROCESSING OF PROFESSIONAL MEDICAL RESEARCH/TECHNICAL PUBLICATIONS/PRESENTATIONS

INSTRUCTIONS USE ONLY THE MOST CURRENT 59 MDW FORM 3039 LOCATED ON AF E-PUBLISHING

- 1. The author must complete page two of this form:
 - a. In Section 2, add the funding source for your study [e.g., 59 MDW CRD Graduate Health Sciences Education (GHSE) (SG5 O&M), SG5 R&D;
 Tri-Service Nursing Research Program (TSNRP); Defense Medical Research & Development Program (DMRDP); NIH; Congressionally Directed
 Medical Research Program (CDMRP); Grants; etc.]
 - b. In Section 2, there may be funding available for journal costs, if your department is not paying for figures, tables or photographs for your publication. Please state "YES" or "NO" in Section 2 of the form, if you need publication funding support.
- 2. Print your name, rank/grade, sign and date the form in the author's signature block or use an electronic signature.
- 3. Attach a copy of the 59 MDW IRB or IACUC approval letter for the research related study. If this is a technical publication/presentation, state the type (e.g. case report, QA/QI study, program evaluation study, informational report/briefing, etc.) in the "Protocol Title" box.
- 4. Attach a copy of your abstract, paper, poster and other supporting documentation.
- Save and forward, via email, the processing form and all supporting documentation to your unit commander, program director or immediate supervisor for review/approval.
- On page 2, have either your unit commander, program director or immediate supervisor:
 a. Print their name, rank/grade, title; sign and date the form in the approving authority's signature block or use an electronic signature.
- Submit your completed form and all supporting documentation to the CRD for processing (59crdpubspres@us.af.mil). If you have any questions or concerns, please contact the 59 CRD/ Publications and Presentations Section at 292-7141 for assistance.
- 8. The 59 CRD/Publications and Presentations Section will route the request form to clinical investigations, 502 ISG/JAC (Ethics Review) and Public Affairs (59 MDW/PA) for review and then forward you a final letter of approval or disapproval.
- Once your manuscript, poster or presentation has been approved for a one-time public release, you may proceed with your publication or presentation submission activities, as stated on this form. Note: For each new release of medical research or technical information as a publication/presentation, a new 59 MDW Form 3039 must be submitted for review and approval.
- 10. If your manuscript is accepted for scientific publication, please contact the 59 CRD/Publications and Presentations Section at 292-7141. This information is reported to the 59 MDW/CC. All medical research or technical information publications/presentations must be reported to the Defense Technical Information Center (DITC). See 59 MDWI 41-108, Presentation and Publication of Medical and Technical Papers, for additional information.
- NOTE: Ali abstracts, papers, posters, etc., should contain the following disclaimer statement:
 - "The views expressed are those of the [author(s)] [presenter(s)] and do not reflect the official views or policy of the Department of Defense or its Components"
- NOTE: All abstracts, papers, posters, etc., should contain the following disclaimer statement for research involving humans:
 - "The voluntary, fully informed consent of the subjects used in this research was obtained as required by 32 CFR 219 and DODI 3216.02_AFI
- NOTE: All abstracts, papers, posters, etc., should contain the following disclaimer statement for research involving animals, as required by AFMAN 40-401 IP:
 - "The experiments reported herein were conducted according to the principles set forth in the National Institute of Health Publication No. 80-23, Guide for the Care and Use of Laboratory Animals and the Animal Welfare Act of 1966, as amended."

PROCESSING OF PROFESSI	ONAL MEDICAL RI	ESEAF	RCH/TECHNICAL	PUBLICATIO	NS/PRESI	ENTATIONS
1. TO CLINICAL RESEARCH 2. FROM: (Auth	or's Name, Rank, Grade,	Office s	Symbol)	3. GME/GHSE S	TUDENT: 4.	PROTOCOL NUMBER:
Christopher Mo	onnikendam, Major, C	94, SGC	OBV	⊠ YES □	NO 40	1343-1 SAMMC
5. PROTOCOL TITLE: (NOTE: For each new re must be submitted for re		h or tecl	hnical information as a	publication/prese	ntation, a nev	v 59 MDW Form 3039
Early hypernatremia is associated with incre		remely	Low Birth Weight	(ELBW) infants		
6. TITLE OF MATERIAL TO BE PUBLISHED OF	R PRESENTED:					
Early hypernatremia is associated with increase	eased mortality in Ext	remely	Low Birth Weight	(ELBW) infants		
7. FUNDING RECEIVED FOR THIS STUDY?						
8. DO YOU NEED FUNDING SUPPORT FOR P	UBLICATION PURPOSE	s: 🗌	YES NO			
9. IS THIS MATERIAL CLASSIFIED? YES	⊠ NO					
10. IS THIS MATERIAL SUBJECT TO ANY LEG AND DEVELOPMENT AGREEMENT (CRADA), I YES NO NOTE: If the answer is YES t	MATERIAL TRANSFER	AGREE	MENT (MTA), INTELLE	ECTUAL PROPER	RTY RIGHTS	
11. MATERIAL IS FOR: DOMESTIC RELEA		10010-00-0				
CHECK APPROPRIATE BOX OR BOXES F		HIS RE	QUEST. ATTACH CO	PY OF MATERIAL	TO BE PUB	LISHED/PRESENTED.
11a. PUBLICATION/JOURNAL (List inten	ded publication/journal.)					
11b. PUBLISHED ABSTRACT (List intend	led journal.)					
11c. POSTER (To be demonstrated at me Pediatric Academic Societies Meeting				1.)		
11d. PLATFORM PRESENTATION (At de	vilian institutions: name o	f meetin	ng, state, and date of m	neting.)		
11e. OTHER (Describe: name of meeting	, city, state, and date of n	neeting.)			
12. EXPECTED DATE WHEN YOU WILL NEED NOTE: All publications/presentations are re	THE CRD TO SUBMIT	YOUR e Defen	CLEARED PRESENTA se Technical Information	ATION/PUBLICAT on Center (DTIC).	ION TO DTIC	
DATE						
April 27, 2016						
13. 59 MDW PRIMARY POINT OF CONTACT	(Last Name, First Name,	M.I., em	nail)		14. DUTY F	PHONE/PAGER NUMBER
Monnikendam, Christopher, S, christopher	.s.monnikendam.mil@	mail.n	nil		501-213-7	303
15. AUTHORSHIP AND CO-AUTHOR(S) List in						
LAST NAME, FIRST NAME AND M.I. a. Primary/Corresponding Author	GRADE/RANK	S	QUADRON/GROUP/O	FFICE SYMBOL	INSTIT	TUTION (if not 59 MDW)
Monnikendam, Christopher	O4/Major	959 (CSPS/SGOBV			
b. Mu, Thornton	O5/LTC					
c. Carr, Nicholas	O4/Major					
d. Barbera, Stephen	O3/CPT					
e. Aune, Christine						
f. Ahmad, Kaashif						
I CERTIFY ANY HUMAN OR ANIMAL RESEAR 219, AFMAN 40-401_IP, AND 59 MDWI 41-108 ACCURATE MANUSCRIPT FOR PUBLICATIO	. I HAVE READ THE FIR	NAL VE	APPROVED AND PERSION OF THE ATTAC	RFORMED IN ST CHED MATERIAL	RICT ACCOR	RDANCE WITH 32 CFR FY THAT IT IS AN
16. AUTHOR'S PRINTED NAME, RANK, GRAN			17. AUTHOR'S SIGN			18. DATE
Christopher S Monnikendam			Digsally signed by MCNNWENDAM CHRISTOPS DN child and 8 Government, our DsD, aur PK Date 2014.04.25 11 29 13 -05'07'	HER. 8. 1385634495 IL DUPUSAF EPPHICHANIKE NDAN CHR	ISTOPHER 8 1385034486	April 25, 2016
19. APPROVING AUTHORITY'S PRINTED NA	ME, RANK, TITLE		20. APPROVING AU	THORITY'S SIGN	ATURE	21. DATE
Thornton S. Mu, LTC, Program Director			Thomas	7		April 25, 2016

PROCESSING OF PROFESSIONAL MEDICAL RESEA	ARCH/TECHNICAL PUBLICATIONS/PRESE	NTATIONS
1st ENDORSEMENT (59 MDW/SGVU Use Only) TO: Clinical Research Division 22 DATE RECEIVED	les Assignation progressive progressive	4050
59 MDW/CRD Contact 292-7141 for email instructions.	23. ASSIGNED PROCESSING REQUEST FILE NUI 16189	MREK
24. DATE REVIEWED	25. DATE FORWARDED TO 502 ISG/JAC	
29 Apr 2016		
26. AUTHOR CONTACTED FOR RECOMMENDED OR NECESSARY CHANG	SES: NO YES If yes, give date.	N/A
27. COMMENTS X APPROVED DISAPPROVED		
The poster presentation is approved.		
28. PRINTED NAME, RANK/GRADE, TITLE OF REVIEWER	29. REVIEWER SIGNATURE CALCOTE.ROCKY.D.11782458 Dig tasky signed by CALCOTE.ROCKY.D.17824584 Dig Culf, On U.S. Government, our Dob. quarified, quarified	30. DATE
Rocky Calcote, PhD, Clinical Res. Administrator	44 Dec (2015) (2015) (2016) (2	
2nd ENDORSEMENT (502 ISG/JAC Use Only) 31. DATE RECEIVED	32. DATE FORWARDED TO 59 MDW/PA	
on pareneouved	32. DATE I ON VARIOLD TO 35 MIDVYPA	
33. COMMENTS APPROVED (In compliance with security and policy re	view directives.) DISAPPROVED	
34. PRINTED NAME, RANK/GRADE, TITLE OF REVIEWER	35. REVIEWER SIGNATURE	36. DATE
3rd ENDORSEMENT (59 MDW/PA Use Only)	T	
37. DATE RECEIVED	38. DATE FORWARDED TO 59 MDW/SGVU	
29 April 2016	3 May 2016	
39. COMMENTS APPROVED (In compliance with security and policy re	view directives.) DISAPPROVED	
40. PRINTED NAME, RANK/GRADE, TITLE OF REVIEWER	41. REVIEWER SIGNATURE CARWILE.CHRISTOPHER.STE Details uponed by CARWILE.CHRISTOPHER.STEWART.1886477229	42. DATE
Christopher Carwile, TSgt/E-6, NCOIC, PA	CARWILE.CHRISTOPHER.STE Dt Laboratory CARWILE-048/1004/ESTEWART.1280477229 Dt Lulis General Conscious Guardian Conference	3 May 2016
4th ENDORSEMENT (59 MDW/SGVU Use Only)	IOR AUTHOR NOTIFIED BY PHONE OF APPROVAL O	DP DISAPPROVAL
43. DATE RECEIVED		T MESSAGE
45. COMMENTS APPROVED DISAPPROVED		
46. PRINTED NAME, RANK/GRADE, TITLE OF REVIEWER	47. REVIEWER SIGNATURE	48. DATE



Early Hypernatremia is Associated with Increased Mortality in Extremely Low Birth Weight (ELBW) Infants

Christopher Monnikendam MD¹, Thornton Mu MD¹, Nicholas Carr DO¹, Stephen Barbera MD¹, Christine Aune MD²,

and Kaashif Ahmad MD² I Department of Necesatology, San Antonio Military Medical Center, San Antonio, Texas, 2 Pedariris Medical Group, San Antonio Texas

Serum Sodium vs Outcomes All Gertational Ages

estriction in older preterm infants is associated with decreased ELBW infants are at high risk for increased and variable insensible fluid losses and associated co-morbidities. Early fluid targeted or tolerated with this strategy. Although this fluid restriction strategy is often used in the ELBW population, the a sodium in the first 5 days of life and complications of actually in ELBW intants. association between early serum sodium levels and ELBW neonatal outcomes has not been well evaluated. Our objective is to investigate the relationship between mean orbidities. Mid hypernatremia is often

Objective:

To investigate the relationship between mean serum sodium in first 5 days of life and common complications of prematurity in ELBW infants from 2004–2014.

serum sodium range graup and a mildly hypemathemic graup were also performed. Slatslical analyses was performed ulilling Students I Test. Chi square with continuity correction. Wilcoxon Ronk-Sum Test. NICLE. Across all eligible factifies we identified 26.871 infants who met stated criteria from this, patients were excluded for incomplete serum sadium documentation. 12.427 infants remained and these data were subjected to further analyses. Mean serum sodium levels aver day of life 1.5 were determined. Utilizing a retrospective cohort design we identified a subset of NICU infants less than 1000g birth weight and between 23 and the primary outcome of mortality and secondary autcomes of grade 3 and 4 IVH, stage 4 and surgical ROP, BPD, medical/surgical NEC, PDA ligation, PDA diagnosis, and renal dataset that includes infants cared for at Pediatrix managed comparison groups used were as follows: <125mEa/dl, 125-134mEq/dl, and ≥155mEq/dl. Evaluation of outcomes of different gestational ages between the normal 44mEg/dl) were directly compared to infants with serum mean normal mean serum sodium levels (135weeks gestational age. Data were extracted from the odium levels above and below the normal range. The nical Data Warel

hypernatremic group showed a significant increase in mortaity compared to all other groups except the lowest serum sodium hypernatremic group and mild hyponatremia was associated diagnosis. There was no association with improved secondan with significantly increased incidences of IVH, NEC, and PDA normal serum sodium group had significantly lower mortality dary outcomes were significantly higher in the mildly outcames in any group as compared to the narmal serum younger and smaller, have lower Apgar scores, and have received an incomplete course of antenatal steroids. The within the 24 week (30.8% vs 24.8%, p<0.003) and 25 week comparing the normal serum sodium group to the mildly nfants with mild to severe hypernatramia tended to be 16.8% vs 14%, p<0.001] mildly hypernatremic subgroups. group (<125mEq/dL) which only included 3 infants. All sadium group. Subgroup analysis by gestational age

	Compa	Serum Sodium (mFa/	Serum Sodium (mFa/dl.)	(11)	SECTION S
	<125	125-134	135 - 144	145-154	2155
Mortality	33.3	• 20.3	12.9	• 21.6	** 80.4
IVH Grade 3-4	33.3	• 20.3	10.6	* 18.4	- 51.7
Stage 4 and Surgical ROP	0	5.7	12.5	• 14.9	- 7.1
BPD	0	38.2	38.9	* 43.5	28.8
Medical/ Surgical NEC	0	• 15.3	14.2	• 16.5	• 13.3
PDA Ligation	0	15.9	15.8	* 18.3	183
PDA Diagnosis	299	• 76.4	70.8	• 76.3	73.3
Renal Insufficiency*	0	0.29	3.1	1.7	0.21
		*			* p < 0.05

No significantly lower incidence of any outcome when compared to the normal serum sodium group. *Creatinine >1.3 on day of life 3

	Serum Sodium (mEq/dL)	m (mEg/dL)	
	135 - 144	145-155	p value
Total Subjects	1500	121	1
Mortality	* 372 (24.8%)	(30.8%)	• 0.003
IVH Grade	281 (18.7%) 151 (20.9%)	151 (20.9%)	0.240
Treated	216 (14.4%) 94 (13.0%)	94 (13.0%)	0.422
BPD	692 (46.1%) 360 (49.9%)	360 (49.9%)	0.103
Medical/ Surgical NEC	176 (11.7%)	83 (11.5%)	0.935
Treated PDA	1266 (84.4%) 603 (83.6%)	603 (83.6%)	6890
	%) u	9	* p < 0.05

Serum Sodium vs Outcomes Gertational Age 25 weeks * 288 (14.0%) 115 (16.8%) 517 (75.6%) 409 (19.8%) 132 (19.3%) 309 (45.2%) 221 (10.7%) 80 (11.7%) 940 (45.5%) 196(9.5%) 1648 VH Grade Total Subjects Mortality Treated Medical/ BPD 7

Significantly lower mortality in the normal serum sodium group.

Demographics

		en la company de	Serum Sodium (meg/dt.)	gyate)	
STATE	<125	125-134	135-144	145-154	2155
Sample Size	9	392	0.2%	2339	8
Gestational Age (weeks)	27 (26-27)	26 (24-28)	26 (24-28)	• 25 (23-27) • 24 (23-	• 24 (23
Birth Weight (grams)	736	273	774	• 704	• 595
Female Gender (%)	66.7	51.5	83	. 46.9	45
APGAR 1 Mimute (median, 10- 90%)	(2-8)	(8-5) 9	7 (5-8)	•4(1-7)	•3(14
APGAR 5 Minute (medan, 10- 90%)	7 (6-9)	7 (4-9)	7 (5-9)	•7(3-9)	.6(2-
Antenatal Steroids (%)	9	• 76.4	88	• 80.7	. 683

Inclusion/Exclusion Algorithm

Total population in database meeting screening criteria n=26781

Total population meeting inclusion criteria Total	ng exclusion criteria 344		>154 (mEg/dt.)
135-144 (meeting inclusion n=12437 n=6410 n=6410	otal population meet	rheria	45-154 (mEq/dL)
These propules		ion meeting inclusion o	
		Total populat	

-25

outside the normal range are associated with increased studies are warranted to evaluate the clinical relevance sodium levels within the first 5 days of life in ELBW infants mortality. This association was still present in a subgroup In our sample population we found that average serum analysis of 24 and 25 week gestation infants. Further

Future Directions:

- Initial serum sodium level as prognostic indicator of
 - Serum sodium levels and outcomes in relation to gestational age, birth weight, and weight trends over the first 5 days of life
- Multivariate analysis is ongoing to investigate the clinical relevance of these associations

For additional information please contact: Christopher Mormikendam, MD. FAAP Dept of Neonatology, San Antonio Military Medical Center, San

The view(s) expressed herein are those of the author(s) and do not reflect the official policy or position of Brooke Army Medical Certex, the U.S. Army Office of the Surgeon General, the Department, of the Army of the Oppartment of Surgeon General, the Department of the Army or the Department of Defense or the U.S. Government